

PharmLabs Dallas LLC Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | License: 2020001
ISO/IEC 17025:2017 Certification L20-89-5 | Accreditation #85368



Sample **03-02921**

Sample ID	TX210204-010 (849)	Matrix	Distillate
Tested for			
Sampled	-	Received	Feb 04, 2025
Analyses executed	TXFP, TER, RES	Reported	Feb 09, 2025

CAN - Cannabinoid Profile Analysis

Analyzed Feb 05, 2025 | Instrument HPLC-DAD | Method
WI-32 Measurement Uncertainty at 95% confidence 10.0%

Analyte	LOD	LOQ	Result %	Result mg/g
Cannabidivarinic acid (CBDVa)	2.0e-06	5.0e-06	ND	ND
Cannabidivarin (CBDV)	3.0e-06	1.0e-05	ND	ND
Cannabidiolic acid (CBDa)	3.0e-06	8.0e-06	ND	ND
Cannabigerolic acid (CBGa)	3.0e-06	8.0e-06	ND	ND
Cannabigerol (CBG)	5.0e-06	1.6e-05	ND	ND
Cannabidiol (CBD)	6.0e-06	1.7e-05	ND	ND
Tetrahydrocannabivarin (THCV)	6.0e-06	1.7e-05	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	5.0e-06	1.5e-05	ND	ND
Cannabinol (CBN)	3.0e-06	1.0e-05	ND	ND
Cannabinolic acid (CBNa)	8.0e-06	2.6e-05	ND	ND
Δ9-Tetrahydrocannabinol (Δ9-THC)	1.2e-05	3.6e-05	ND	ND
Δ8-Tetrahydrocannabinol (Δ8-THC)	1.5e-05	4.5e-05	≥99%	≥99%
Cannabicyclol (CBL)	1.3e-05	3.8e-05	ND	ND
Δ9-Tetrahydrocannabinolic acid (THCa)	9.0e-06	2.8e-05	ND	ND
Cannabichromene (CBC)	6.0e-06	1.9e-05	ND	ND
Cannabichromenic acid (CBCa)	2.2e-05	6.7e-05	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND
Total CBD (CBDa * 0.877 + CBD)			ND	ND

HME - Heavy Metals Detection Analysis

Analyzed Feb 05, 2025 | Instrument ICP-MS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.00055	0.00167	0.00	1.5	Cadmium (Cd)	0.00042	0.00127	0.00	0.3
Mercury (Hg)	0.00046	0.0014	0.00	0.5	Lead (Pb)	0.00036	0.0011	0.03	1.0

ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Authorized Signature
Archana
Dr. Archana R. Parameswar,
Laboratory Director
Tue, 09 Feb 2021 08:23:39 -0800

MIB - Microbial Testing Analysis

Analyzed Feb 09, 2025 | Instrument qPCR and/or Plating | Method WI-35, WI-36, WI-37, SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	Negative	ND per 1 gram	Salmonella spp.	Negative	ND per 1 gram
Aspergillus fumigatus	Negative	ND per 1 gram	Aspergillus flavus	Negative	ND per 1 gram
Aspergillus niger	Negative	ND per 1 gram	Aspergillus terreus	Negative	ND per 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Feb 05,2025 | Instrument LC-MS/MS | Method WI-29, WI-30

Analyte	LOD ppb	LOQ ppb	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ppb	LOQ ppb	Result ug/kg (ppb)	Limit ug/kg
Aflatoxin B1	0.003	0.01	ND	20	Aflatoxin B2	0.01	0.03	ND	20
Aflatoxin G1	0.006	0.019	ND	20	Aflatoxin G2	0.013	0.039	ND	20
Ochratoxin A	0.019	0.058	ND	20	Total Aflatoxins	0.013	0.039	ND	20

PES - Pesticides Screening Analysis

Analyzed Feb 05, 2025 | Instrument LC-MS/MS | Method WI-29, WI-30

Analyte	LOD ppb	LOQ ppb	Result ug/g	Limit ug/g	Analyte	LOD ppb	LOQ ppb	Result ug/g	Limit ug/g
Abamectin	0.11	0.33	ND	0.3	Acephate	0.23	0.7	ND	5
Acequinocyl	0.11	0.32	ND	4	Acetamiprid	0.02	0.05	ND	5
Aldicarb	0.02	0.05	ND	0.4	Azoxystrobin	0.02	0.06	ND	40
Bifenazate	0.01	0.03	ND	5	Bifenthrin	0.02	0.06	ND	0.5
Boscalid	0.06	0.17	ND	10	Carbaryl	0.01	0.04	ND	0.5
Carbofuran	0.01	0.02	ND	0.01	Chlorantraniliprole	0.01	0.03	ND	40
Chlorpyrifos	0.01	0.03	ND	0.01	Clofentezine	0.01	0.04	ND	0.5
Coumaphos	0.04	0.12	ND	0.04	Cyfluthrin	2.32	7.02	ND	2.32
Cypermethrin	0.37	1.13	ND	1	Daminozide	0.55	1.65	ND	0.55
Diazinon	0.01	0.04	ND	0.2	Dichlorvos	0.05	0.14	ND	0.05
Dimethoate	0.01	0.02	ND	0.01	Dimethomorph	0.01	0.03	ND	20
Ethoprophos (Prophos)	0.02	0.05	ND	0.02	Etofenprox	0.01	0.04	ND	0.01
Etoazole	0.01	0.02	ND	1.5	Fenhexamid	0.04	0.14	ND	10
Fenoxycarb	0.02	0.06	ND	0.02	Fenpyroximate	0.01	0.04	ND	2
Fipronil	0.01	0.04	ND	0.01	Fludioxinil	0.02	0.05	ND	30
Flonicamide	0.01	0.03	ND	2	Hexythiazox	0.01	0.02	NT	2
Imazalil	0.06	0.17	ND	0.06	Imidacloprid	0.04	0.11	ND	0.4
Kresoxim-methyl	0.02	0.05	ND	1	Malathion	0.01	0.03	ND	5
Metalaxyl	0.01	0.02	ND	15	Methiocarb	0.01	0.03	ND	0.4
Methomyl	0.02	0.05	ND	0.4	Mevinphos	0.06	0.18	ND	0.06
Myclobutanil	1.19	3.61	ND	9	Naled	0.03	0.08	ND	0.5
Oxamyl	0.02	0.05	ND	1	Paclobutrazole	0.02	0.06	ND	0.02
Permethrin	0.08	0.26	ND	20	Phosmet	0.01	0.03	ND	0.2
Piperonyl Butoxide	0.01	0.04	ND	8	Prallethrin	0.1	0.3	ND	0.4
Propiconazole	0.07	0.22	ND	20	Baygon (Propoxur)	0.01	0.03	ND	0.01
Pyrethrin-I	0.02	0.06	ND	1	Pyridaben	0.01	0.02	ND	3
Spinetoram	0.23	0.69	ND	3	Spinosyn A	0.01	0.02	ND	3
Spinosyn D	0.005	0.01	ND	3	Spiromesifen	0.05	0.14	ND	12
Spirotetramat	0.01	0.03	ND	13	Spiroxamine	0.01	0.03	ND	0.01
Tebuconazole	0.01	0.03	ND	2	Thiachloprid	0.01	0.03	ND	0.01
Thiamethoxam	0.01	0.04	ND	4.5	Trifloxystrobin	0.01	0.03	ND	30
Methyl Parathion	0.05	0.14	ND	8.5	Chlorfenapyr	0.83	2.53	ND	0.83
Chlordane	0.74	2.25	ND	0.74	Pentachloronitrobenzene	0.06	0.17	ND	0.2

RES - Residual Solvents Testing Analysis

Analyzed Feb 05, 2025 | Instrument GC-MSD | Method WI-31

Analyte	LOD ppm	LOQ ppm	Result ug/g	Limit ug/g	Analyte	LOD ppm	LOQ ppm	Result ug/g	Limit ug/g
Propane (Prop)	0.466	1.411	ND	5000	Butane (But)	0.202	0.611	ND	5000
Methanol (Metha)	0.074	0.226	ND	3000	Ethylene Oxide (EthOx)	0.001	0.004	ND	1
Pentane (Pen)	0.134	0.407	ND	5000	Ethanol (Ethan)	0.126	0.383	ND	5000
Ethyl Ether (EthEt)	0.022	0.066	ND	5000	Acetone (Acet)	0.059	0.178	ND	5000
Isopropanol (2-Pro)	0.031	0.094	ND	5000	Acetonitrile (Acetonit)	0.018	0.056	ND	410
Methylene Chloride (MetCh)	0.007	0.021	ND	1	Hexane (Hex)	0.026	0.078	ND	290
Ethyl Acetate (EthAc)	0.028	0.085	ND	5000	Chloroform (Clo)	0.01	0.031	ND	1
Benzene (Ben)	0.008	0.025	ND	1	1-2-Dichloroethane (12-Dich)	0.01	0.031	ND	1
Heptane (Hep)	0.021	0.063	ND	5000	Trichloroethylene (TriClEth)	0.01	0.029	ND	1
Toluene (Toluene)	0.006	0.018	ND	890	M,P-Xylene (mp-xyl)	0.01	0.029	ND	2170
O-Xylene (o-xyl)	0.008	0.024	ND	2170					

*The limit of 2170 ug/g for M,P-Xylene (mp-xyl) and O-Xylene (o-xyl) is to be intended as the two analytes combined.

TER - Terpenes Testing Analysis

Analyzed Feb 05, 2025 | Instrument GC-MSD | Method WI-28

Analyte	LOD mg/g	LOQ mg/g	(%)	(mg/g)	Analyte	LOD mg/g	LOQ mg/g	(%)	(mg/g)
a-Pinene (a-Pin)	0.000838	0.00254	ND	ND	Camphene (Cam)	0.000942	0.00285	ND	ND
Myrcene (Myr)	0.00108	0.00326	ND	ND	b-Pinene (b-Pin)	0.00111	0.00338	ND	ND
3-Carene (3-Car)	0.000462	0.0014	ND	ND	a-Terpinene (a-Ter)	0.00118	0.00357	ND	ND
a-Ocimene (a-Oci)	0.000236	0.000715	ND	ND	Limonene (Lim)	0.000728	0.00221	ND	ND
p-Cymene (p-Cym)	0.000682	0.00207	ND	ND	b-Ocimene (b-Oci)	0.000678	0.00205	ND	ND
Eucalyptol (Euc)	0.0015	0.00453	ND	ND	g-Terpinene (g-Ter)	0.000566	0.00172	ND	ND
Terpenolene (Terp)	0.000973	0.00295	ND	ND	Linalool (Lin)	0.00183	0.00555	ND	ND
Isopulegol (Isop)	0.00165	0.00499	ND	ND	Geraniol (Gera)	0.000781	0.00237	ND	ND
b-Caryophyllene (b-Cary)	0.00091	0.00276	ND	ND	a-Humulene (Hum)	0.000963	0.00292	ND	ND
cis-Nerolidol (ci-Ner)	0.000507	0.00154	ND	ND	trans-Nerolidol (tr-Ner)	0.00111	0.00336	ND	ND
Guaiol (Gua)	0.0028	0.00849	ND	ND	Caryophyllene Oxide (CarOx)	0.000974	0.00295	ND	ND
a-bisabolol (a-Bbis)	0.0025	0.00756	ND	ND					
Total Terpene Concentration								0.00 %	0.00 mg/g

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Feb 05, 2025 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	Negative	> 1/4 of the total sample area covered by mold	Negative
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	Negative	> 1/4 of the total sample area covered by an imbedded foreign material	Negative

ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Authorized Signature

 Dr. Archana R. Parameswar,
 Laboratory Director
 Tue, 09 Feb 2021 08:23:39 -0800

MWA - Moisture Content & Water Activity Analysis

Analyzed Feb 05, 2025 | Instrument Aqualab TDL | Method

Analyte	Result	Limit	Analyte	Result	Limit
Moisture	NT		Water Activity	NT	0.85 a _w

ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Authorized Signature

Dr. Archana R. Parameswar,
Laboratory Director
Tue, 09 Feb 2021 08:23:39 -0800